



## expertmodules™

### Communication Modules

SATEC metering EM13x, PM130/135 have RS485 communications as standard.

Dual simultaneous communications can be incorporated with expanded add-on modules along with I/O capabilities.

DESCRIPTION:	RS232/422/485	Ethernet	Ethernet-DIN	3G Modem
				
METER MODEL	EM132/133	EM132/133	EM132/133	EM132/133
	EM133-AR	EM133-AR	EM133-AR	EM133-AR
	EM133-XM	EM133-XM	EM133-XM	EM133-XM
	PM130/135	PM130/135		PM130/135
DIMENSIONS (H x W x D)	72x46x34mm	72x46x34mm	90x30x75mm	72x46x34mm
ORDER CODE:	RS232	ETH	ETHD	T3G

DESCRIPTION:	3G Modem-DIN	3G Modem - DIN with 2 Analogue Inputs	4G Modem	4G Modem - DIN
	 * x = T (top antenna) or F (front antenna)	 * x = T (top antenna) or F (front antenna)	On Application	On Application
METER MODEL	EM132/133	EM132/133	EM132/133	EM132/133
	EM133-AR	EM133-AR	EM133-AR	EM133-AR
	EM133-XM	EM133-XM	EM133-XM	EM133-XM
			PM130/135	
DIMENSIONS (H x W x D)	90x30x75mm	90x30x75mm		
ORDER CODE:	* T3G-x	* T3G-x-2AI	Currently not available for the Australian market	Currently not available for the Australian market

## expertmodules™

### Communication Modules

SATEC metering EM13x, PM130/135 have RS485 communications as standard.

Dual simultaneous communications can be incorporated with expanded add-on modules along with I/O capabilities.





DESCRIPTION:	WiFi	Profibus	CAN-Bus	
				
<b>METER MODEL</b>	EM132/133	EM132/133	EM132/133	
	EM133-AR	EM133-AR	EM133-AR	
	EM133-XM	EM133-XM	EM133-XM	
		PM130/135	PM130/135	
<b>DIMENSIONS</b> (H x W x D)	72x46x34mm	72x46x34mm	72x46x34mm	
<b>ORDER CODE:</b>	WiFi	PRO	CAN	





## expertmodules™

### Input/Output Modules

SATEC metering EM13x, PM130/135 have RS485 communications as standard.

Dual simultaneous communications can be incorporated with expanded add-on modules along with I/O capabilities.

DESCRIPTION:	4 Digital Inputs & 2 Relay Outputs	4 Digital Inputs & 2 Digital Outputs	4 Digital Inputs with Battery BackUp for TOU	8 Digital Input
				
METER MODEL	EM132/133	EM132/133		EM132/133
	EM133-AR	EM133-AR		EM133-AR
	EM133-XM	EM133-XM		EM133-XM
	PM130/135	PM130/135	PM130/135	PM130/135
DIMENSIONS (H x W x D)	72x46x34mm	72x46x34mm	72x46x34mm	72x46x34mm
ORDER CODE:	DIOR	DIOS	TOD	8DI

DESCRIPTION:	12 Digital Inputs & 4 Relay Outputs	12 Digital Inputs & 4 Relay Outputs with RS485 Comms	12 Digital Inputs & 4 Relay Outputs with Ethernet Comms	4 Analogue Outputs
				
	xxx = Dry or Wetted Contact Options			x = Analogue Output Options
METER MODEL	EM132/133	EM132/133	EM132/133	EM132/133
	EM133-AR	EM133-AR	EM133-AR	EM133-AR
	EM133-XM	EM133-XM	EM133-XM	EM133-XM
	PM130/135	PM130/135	PM130/135	PM130/135
DIMENSIONS (H x W x D)	95x77x45mm	95x77x45mm	95x77x45mm	72x46x34mm
ORDER CODE:	12DIOR-xxx	12DIOR-xxx-485	12DIOR-xxx-ETH	AOx